

ULTRAFLOOR 80 LINTEL

SCALE 1:5

ULTRAFLOOR BEAM STRAND LOCATIONS

MASONRY ANCHORS FIXING INTO BEAMS SHALL BE LOCATED TO MISS STRAND LOCATIONS.
 ULTRAFLOOR SHALL BE CONTACTED FOR APPROVAL OF FIXING TO ULTRAFLOOR BEAMS
 PRIOR TO PROCEEDING.

CONSTRUCTION TOLERANCE

ULTRAFLOOR LINTELS HAVE A ± 5 mm TOLERANCE.


| | | | |
|-------|------|-------------------------|----------|
| | | | |
| 0 | N.H. | ISSUED FOR INFORMATION. | 01/10/20 |
| ISSUE | BY | DETAILS | DATE |

ULTRAFLOOR[®]
 ultrafloor (aust) pty ltd

DRAWING TITLE:
**ULTRAFLOOR 80 LINTEL
 PROFILE**

DWG No: SDP-80L

ISSUE: 0



ULTRAFLOOR 170 LINTEL

SCALE 1:5

ULTRAFLOOR BEAM STRAND LOCATIONS

MASONRY ANCHORS FIXING INTO BEAMS SHALL BE LOCATED TO MISS STRAND LOCATIONS.
 ULTRAFLOOR SHALL BE CONTACTED FOR APPROVAL OF FIXING TO ULTRAFLOOR BEAMS
 PRIOR TO PROCEEDING.

CONSTRUCTION TOLERANCE

ULTRAFLOOR LINTELS HAVE A ± 5 mm TOLERANCE.

| 0 | N.H. | ISSUED FOR INFORMATION. | 01/10/20 |
|-------|------|-------------------------|----------|
| ISSUE | BY | DETAILS | DATE |

ULTRAFLOOR[®]
 ultrafloor (aust) pty ltd

DRAWING TITLE:
**ULTRAFLOOR 170 LINTEL
 PROFILE**

DWG No: SDP-170L

ISSUE: 0